

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6	"20040015832" or "20040117427" or "6760888".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/09 12:52
L2	3	"20040015832" or "20040117427" or "6760888".pn.	US-PGPUB; USPAT	OR	OFF	2009/01/09 12:52
L3	2	((GUI or web) adj page) with (translat\$4 or convert\$4) with (JAVA near3 class) and @ad < "20040114"	US-PGPUB; USPAT	OR	OFF	2009/01/09 12:52
L4	2	((GUI or web) adj page) with (translat\$4 or convert\$4) with (JAVA with class) and @ad < "20040114"	US-PGPUB; USPAT	OR	OFF	2009/01/09 12:52
L5	2	((GUI or web) adj page) with (translat\$4 or convert\$4) same (JAVA with class) and @ad < "20040114"	US-PGPUB; USPAT	OR	OFF	2009/01/09 12:52
L6	2	((GUI or web) adj page) with (translat\$4 or convert\$4 or transform\$6 or decod \$4) same (JAVA with class) and @ad < "20040114"	US-PGPUB; USPAT	OR	OFF	2009/01/09 12:52
L7	30	((GUI or web) adj page) with (translat\$4 or convert\$4 or transform\$6 or decod \$4) same (JAVA with (object or class)) and @ad < "20040114"	US-PGPUB; USPAT	OR	OFF	2009/01/09 12:52
L8	22	((GUI or web) adj page) with (translat\$4 or convert\$4 or transform\$6 or decod \$4) with (JAVA with (object or class)) and @ad < "20040114"	US-PGPUB; USPAT	OR	OFF	2009/01/09 12:52

L9	3	((GUI or web) adj page) with (translat\$4 or convert\$4 or transform\$6 or decod \$4) with (JAVA with (object or class) with instance) and @ad < "20040114"	US-PGPUB; USPAT	OR	OFF	2009/01/09 12:52
L10	22	((GUI or web) adj page) with (translat\$4 or convert\$4 or transform\$6 or decod \$4) with (JAVA with (object or class)) and @ad < "20040114"	US-PGPUB; USPAT	OR	OFF	2009/01/09 12:52
L11	23	((GUI or web) adj page) with (translat\$4 or convert\$4 or transform\$6 or decod \$4) with (JAVA with (object or class)) and @ad < "20040114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/09 12:52
L12	3	((GUI or web) adj page) with (translat\$4 or convert\$4 or transform\$6 or decod \$4) with (JAVA with (class)) and @ad < "20040114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/09 12:52
L13	3	((GUI or web) adj page) with (translat\$4 or convert\$4 or transform\$6 or decod \$4) with (JAVA with (object or class)) and @ad < "20040114" and window	US-PGPUB; USPAT	OR	OFF	2009/01/09 12:52
L14	3	((GUI or web) adj page) with (translat\$4 or convert\$4 or transform\$6 or decod \$4) with (JAVA with (object or class)) and @ad < "20040114" and ("7266766".pn. or "7224373".pn. or "20040015852")	US-PGPUB; USPAT	OR	OFF	2009/01/09 12:52
L15	2	"7139782".pn. or "7055059".pn.	USPAT	OR	OFF	2009/01/09 12:52
L16	2	"7139782".pn. or "7055059".pn.	USPAT	OR	OFF	2009/01/09 12:52

L17	7748	nobuyuki.in.	USPAT	OR	OFF	2009/01/09 12:52
L18	0	nobuyuki.in. and "front-end-volume"	USPAT	OR	OFF	2009/01/09 12:52
L19	0	nobuyuki.in. and front \$1end\$1volume	USPAT	OR	OFF	2009/01/09 12:52
L20	6	nobuyuki.in. and (front with end with volume)	USPAT	OR	OFF	2009/01/09 12:52
L22	76	kuen.xp. and lu.xp.	USPAT	OR	OFF	2009/01/09 12:52
L24	0	"20060123029"	USPAT	OR	OFF	2009/01/09 12:52
L25	1	"20060123029"	US-PGPUB	OR	OFF	2009/01/09 12:52
L26	0	"7143120".pn.	US-PGPUB	OR	OFF	2009/01/09 12:52
L27	1	"7143120".pn.	US-PGPUB; USPAT	OR	OFF	2009/01/09 12:52
L28	6	"20040015832" or "20040117427" or "6760888".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/09 12:52
L29	3	"20040015832" or "20040117427" or "6760888".pn.	US-PGPUB; USPAT	OR	OFF	2009/01/09 12:52
L30	2	((GUI or web) adj page) with (translat\$4 or convert\$4) with (JAVA near3 class) and @ad < "20040114"	US-PGPUB; USPAT	OR	OFF	2009/01/09 12:52
L31	2	((GUI or web) adj page) with (translat\$4 or convert\$4) with (JAVA with class) and @ad < "20040114"	US-PGPUB; USPAT	OR	OFF	2009/01/09 12:52
L32	2	((GUI or web) adj page) with (translat\$4 or convert\$4) same (JAVA with class) and @ad < "20040114"	US-PGPUB; USPAT	OR	OFF	2009/01/09 12:52

L33	2	((GUI or web) adj page) with (translat\$4 or convert\$4 or transform\$6 or decod \$4) same (JAVA with class) and @ad < "20040114"	US-PGPUB; USPAT	OR	OFF	2009/01/09 12:52
L34	30	((GUI or web) adj page) with (translat\$4 or convert\$4 or transform\$6 or decod \$4) same (JAVA with (object or class)) and @ad < "20040114"	US-PGPUB; USPAT	OR	OFF	2009/01/09 12:52
L35	22	((GUI or web) adj page) with (translat\$4 or convert\$4 or transform\$6 or decod \$4) with (JAVA with (object or class)) and @ad < "20040114"	US-PGPUB; USPAT	OR	OFF	2009/01/09 12:52
L36	3	((GUI or web) adj page) with (translat\$4 or convert\$4 or transform\$6 or decod \$4) with (JAVA with (object or class) with instance) and @ad < "20040114"	US-PGPUB; USPAT	OR	OFF	2009/01/09 12:52
L37	22	((GUI or web) adj page) with (translat\$4 or convert\$4 or transform\$6 or decod \$4) with (JAVA with (object or class)) and @ad < "20040114"	US-PGPUB; USPAT	OR	OFF	2009/01/09 12:52
L38	23	((GUI or web) adj page) with (translat\$4 or convert\$4 or transform\$6 or decod \$4) with (JAVA with (object or class)) and @ad < "20040114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/09 12:52
L39	3	((GUI or web) adj page) with (translat\$4 or convert\$4 or transform\$6 or decod \$4) with (JAVA with (class)) and @ad < "20040114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/09 12:52

L40	3	((GUI or web) adj page) with (translat\$4 or convert\$4 or transform\$6 or decod \$4) with (JAVA with (object or class)) and @ad < "20040114" and window	US-PGPUB; USPAT	OR	OFF	2009/01/09 12:52
L41	3	((GUI or web) adj page) with (translat\$4 or convert\$4 or transform\$6 or decod \$4) with (JAVA with (object or class)) and @ad < "20040114" and ("7266766".pn. or "7224373".pn. or "20040015852")	US-PGPUB; USPAT	OR	OFF	2009/01/09 12:52
L42	2	"7139782".pn. or "7055059".pn.	USPAT	OR	OFF	2009/01/09 12:52
L43	2	"7139782".pn. or "7055059".pn.	USPAT	OR	OFF	2009/01/09 12:52
L44	7748	nobuyuki.in.	USPAT	OR	OFF	2009/01/09 12:52
L45	0	nobuyuki.in. and "front-end-volume"	USPAT	OR	OFF	2009/01/09 12:52
L46	0	nobuyuki.in. and front \$1end\$1volume	USPAT	OR	OFF	2009/01/09 12:52
L47	6	nobuyuki.in. and (front with end with volume)	USPAT	OR	OFF	2009/01/09 12:52
L51	0	"20060123029"	USPAT	OR	OFF	2009/01/09 12:52
L52	1	"20060123029"	US-PGPUB	OR	OFF	2009/01/09 12:52
L53	0	"7143120".pn.	US-PGPUB	OR	OFF	2009/01/09 12:52
L54	1	"7143120".pn.	US-PGPUB; USPAT	OR	OFF	2009/01/09 12:52
L55	7	"691794".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/09 12:52

L56	3	"6917947".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/09 12:52
L57	1	"7143097".pn.	USPAT	OR	OFF	2009/01/09 12:52
L58	1	"7143091".pn.	USPAT	OR	OFF	2009/01/09 12:52
L59	1	"6078929".pn.	USPAT	OR	OFF	2009/01/09 12:52
L60	1	"20040167900"	US-PGPUB	OR	OFF	2009/01/09 12:52
S1	6	"20040015832" or "20040117427" or "6760888".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/19 18:23
S2	3	"20040015832" or "20040117427" or "6760888".pn.	US-PGPUB; USPAT	OR	OFF	2008/01/19 12:29
S3	2	((GUI or web) adj page) with (translat\$4 or convert\$4) with (JAVA near3 class) and @ad < "20040114"	US-PGPUB; USPAT	OR	OFF	2008/01/19 12:31
S4	2	((GUI or web) adj page) with (translat\$4 or convert\$4) with (JAVA with class) and @ad < "20040114"	US-PGPUB; USPAT	OR	OFF	2008/01/19 12:32
S5	2	((GUI or web) adj page) with (translat\$4 or convert\$4) same (JAVA with class) and @ad < "20040114"	US-PGPUB; USPAT	OR	OFF	2008/01/19 12:32
S6	2	((GUI or web) adj page) with (translat\$4 or convert\$4 or transform\$6 or decod \$4) same (JAVA with class) and @ad < "20040114"	US-PGPUB; USPAT	OR	OFF	2008/01/19 12:34

S7	26	((GUI or web) adj page) with (translat\$4 or convert\$4 or transform\$6 or decod \$4) same (JAVA with (object or class)) and @ad < "20040114"	US-PGPUB; USPAT	OR	OFF	2008/01/19 12:34
S8	21	((GUI or web) adj page) with (translat\$4 or convert\$4 or transform\$6 or decod \$4) with (JAVA with (object or class)) and @ad < "20040114"	US-PGPUB; USPAT	OR	OFF	2008/01/19 12:34
S9	2	((GUI or web) adj page) with (translat\$4 or convert\$4 or transform\$6 or decod \$4) with (JAVA with (object or class) with instance) and @ad < "20040114"	US-PGPUB; USPAT	OR	OFF	2008/01/19 12:35
S10	21	((GUI or web) adj page) with (translat\$4 or convert\$4 or transform\$6 or decod \$4) with (JAVA with (object or class)) and @ad < "20040114"	US-PGPUB; USPAT	OR	OFF	2008/01/19 15:03
S11	22	((GUI or web) adj page) with (translat\$4 or convert\$4 or transform\$6 or decod \$4) with (JAVA with (object or class)) and @ad < "20040114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/19 12:35
S12	3	((GUI or web) adj page) with (translat\$4 or convert\$4 or transform\$6 or decod \$4) with (JAVA with (class)) and @ad < "20040114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/19 12:35
S13	2	((GUI or web) adj page) with (translat\$4 or convert\$4 or transform\$6 or decod \$4) with (JAVA with (object or class)) and @ad < "20040114" and window	US-PGPUB; USPAT	OR	OFF	2008/01/19 12:36

S14	3	((GUI or web) adj page) with (translat\$4 or convert\$4 or transform\$6 or decod \$4) with (JAVA with (object or class)) and @ad < "20040114" and ("7266766".pn. or "7224373".pn. or "20040015852")	US-PGPUB; USPAT	OR	OFF	2008/01/19 15:04
S15	2	"7139782".pn. or "7055059".pn.	USPAT	OR	OFF	2008/01/19 18:25
S16	2	"7139782".pn. or "7055059".pn.	USPAT	OR	OFF	2008/01/19 18:27
S17	7370	nobuyuki.in.	USPAT	OR	OFF	2008/01/19 18:27
S18	0	nobuyuki.in. and "front-end-volume"	USPAT	OR	OFF	2008/01/19 18:27
S19	0	nobuyuki.in. and front \$1end\$1volume	USPAT	OR	OFF	2008/01/19 18:28
S20	5	nobuyuki.in. and (front with end with volume)	USPAT	OR	OFF	2008/01/19 18:38
S21	125	kuen.xa. and lu.xa.	USPAT	OR	OFF	2008/01/20 12:31
S22	15	kuen.xp. and lu.xp.	USPAT	OR	OFF	2008/01/19 18:38
S23	15	kuen.xp. and lu.xp.	USPAT	OR	ON	2008/01/20 16:32
S24	0	"20060123029"	USPAT	OR	OFF	2008/01/21 09:51
S25	1	"20060123029"	US-PGPUB	OR	OFF	2008/01/21 12:30
S26	0	"7143120".pn.	US-PGPUB	OR	OFF	2008/01/21 12:30
S27	1	"7143120".pn.	US-PGPUB; USPAT	OR	OFF	2008/01/21 12:30
S28	6	"20040015832" or "20040117427" or "6760888".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 08:18
S29	3	"20040015832" or "20040117427" or "6760888".pn.	US-PGPUB; USPAT	OR	OFF	2008/04/24 08:18

S30	2	((GUI or web) adj page) with (translat\$4 or convert\$4) with (JAVA near3 class) and @ad < "20040114"	US-PGPUB; USPAT	OR	OFF	2008/04/24 08:18
S31	2	((GUI or web) adj page) with (translat\$4 or convert\$4) with (JAVA with class) and @ad < "20040114"	US-PGPUB; USPAT	OR	OFF	2008/04/24 08:18
S32	2	((GUI or web) adj page) with (translat\$4 or convert\$4) same (JAVA with class) and @ad < "20040114"	US-PGPUB; USPAT	OR	OFF	2008/04/24 08:18
S33	2	((GUI or web) adj page) with (translat\$4 or convert\$4 or transform\$6 or decod \$4) same (JAVA with class) and @ad < "20040114"	US-PGPUB; USPAT	OR	OFF	2008/04/24 08:18
S34	29	((GUI or web) adj page) with (translat\$4 or convert\$4 or transform\$6 or decod \$4) same (JAVA with (object or class)) and @ad < "20040114"	US-PGPUB; USPAT	OR	OFF	2008/04/24 08:18
S35	22	((GUI or web) adj page) with (translat\$4 or convert\$4 or transform\$6 or decod \$4) with (JAVA with (object or class)) and @ad < "20040114"	US-PGPUB; USPAT	OR	OFF	2008/04/24 08:18
S36	3	((GUI or web) adj page) with (translat\$4 or convert\$4 or transform\$6 or decod \$4) with (JAVA with (object or class) with instance) and @ad < "20040114"	US-PGPUB; USPAT	OR	OFF	2008/04/24 08:18
S37	22	((GUI or web) adj page) with (translat\$4 or convert\$4 or transform\$6 or decod \$4) with (JAVA with (object or class)) and @ad < "20040114"	US-PGPUB; USPAT	OR	OFF	2008/04/24 08:18

S38	23	((GUI or web) adj page) with (translat\$4 or convert\$4 or transform\$6 or decod\$4) with (JAVA with (object or class)) and @ad < "20040114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 08:18
S39	3	((GUI or web) adj page) with (translat\$4 or convert\$4 or transform\$6 or decod\$4) with (JAVA with (class)) and @ad < "20040114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 08:18
S40	3	((GUI or web) adj page) with (translat\$4 or convert\$4 or transform\$6 or decod\$4) with (JAVA with (object or class)) and @ad < "20040114" and window	US-PGPUB; USPAT	OR	OFF	2008/04/24 08:18
S41	3	((GUI or web) adj page) with (translat\$4 or convert\$4 or transform\$6 or decod\$4) with (JAVA with (object or class)) and @ad < "20040114" and ("7266766".pn. or "7224373".pn. or "20040015852")	US-PGPUB; USPAT	OR	OFF	2008/04/24 08:18
S42	2	"7139782".pn. or "7055059".pn.	USPAT	OR	OFF	2008/04/24 08:18
S43	2	"7139782".pn. or "7055059".pn.	USPAT	OR	OFF	2008/04/24 08:18
S44	7476	nobuyuki.in.	USPAT	OR	OFF	2008/04/24 08:18
S45	0	nobuyuki.in. and "front-end-volume"	USPAT	OR	OFF	2008/04/24 08:18
S46	0	nobuyuki.in. and front \$1end\$1volume	USPAT	OR	OFF	2008/04/24 08:18
S47	6	nobuyuki.in. and (front with end with volume)	USPAT	OR	OFF	2008/04/24 08:18
S48	126	kuen.xa. and lu.xa.	USPAT	OR	OFF	2008/04/24 08:18
S49	32	kuen.xp. and lu.xp.	USPAT	OR	OFF	2008/04/24 08:18

S50	32	kuen.xp. and lu.xp.	USPAT	OR	ON	2008/04/24 08:18
S51	0	"20060123029"	USPAT	OR	OFF	2008/04/24 08:18
S52	1	"20060123029"	US-PGPUB	OR	OFF	2008/04/24 08:18
S53	0	"7143120".pn.	US-PGPUB	OR	OFF	2008/04/24 08:18
S54	1	"7143120".pn.	US-PGPUB; USPAT	OR	OFF	2008/04/24 08:18
S55	7	"691794".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 11:50
S56	3	"6917947".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 11:50
S57	1	"7143097".pn.	USPAT	OR	OFF	2008/04/24 21:33
S58	1	"7143091".pn.	USPAT	OR	OFF	2008/04/24 21:36
S59	1	"6078929".pn.	USPAT	OR	OFF	2008/04/25 09:37
S60	1	"20040167900"	US-PGPUB	OR	OFF	2008/04/25 12:02

1/ 9/ 2009 1:04:44 PM

C:\ Documents and Settings\ klu\ My Documents\ EAST\ Workspaces\ 10756123.w.sp